

Advanced Operations Research Techniques

IE316

Lecture 7

Dr. Ted Ralphs

Reading for This Lecture

- Bertsimas 3.2-3.4

The Simplex Method

A typical iteration of the simplex method:

1. Start with a specified basis matrix B and a corresponding BFS x^0 .
2. Compute the reduced cost vector \bar{c} . If $\bar{c} \geq 0$, then x^0 is **optimal**.
3. Otherwise, choose j for which $\bar{c}_j < 0$.
4. Compute $u = B^{-1}A_j$. If $u \leq 0$, then $\theta^* = \infty$ and the LP is **unbounded**.
5. Otherwise, $\theta^* = \min_{\{i|u_i>0\}} \frac{x_{B(i)}^0}{u_i}$.
6. Choose l such that $\theta^* = \frac{x_{B(l)}^0}{u_l}$ and form a new basis matrix, replacing $A_{B(l)}$ with A_j .
7. The values of the new basic variables are $x_j^1 = \theta^*$ and $x_{B(i)}^1 = x_{B(i)}^0 - \theta^* u_i$ if $i \neq l$.

Some Notes on the Simplex Method

- We will see later how to construct an initial basic feasible solution.
- We saw last time that each iteration of the simplex methods ends with a new basic feasible solution.
- This is all we need to prove the following result:

Theorem 1. *Consider a linear program over a **nonempty** polyhedron \mathcal{P} and assume every basic feasible solution is **nondegenerate**. Then the simplex method terminates after a finite number of iterations in one of the following two conditions:*

- *We obtain an **optimal** basis and a corresponding optimal basic feasible solution.*
- *We obtain a vector $d \in \mathbb{R}^n$ such that $Ad = 0$, $d \geq 0$, and $c^T d < 0$, and the LP is **unbounded**.*

Pivot Selection

- The process of removing one variable and replacing from the basis and replacing it with another is called *pivoting*.
- We have the freedom to choose the entering variable from among a list of candidates.
- How do we make this choice?
- The reduced cost tells us the cost in the objective function for each unit of change in the given variable.
- Intuitively, c_j is the cost for the change in the variable itself and $-c_B^T B^{-1} A_j$ is the cost of the compensating change in the other variables.
- This leads to the following possible rules:
 - Choose the column with the most negative reduced cost.
 - Choose the column for which $\theta^* |\bar{c}_j|$ is largest.

Other Pivoting Rules

- In practice, sophisticated pivoting rules are used.
- Most try to estimate the change in the objective function resulting from a particular choice of pivot.
- For large problems, we may not want to compute all the reduced costs.
- Remember that all we require is *some* variable with negative reduced cost.
- It is not necessary to calculate all of them.
- There are schemes that calculate only a small subset of the reduced costs each iteration.

Simplex for Degenerate Problems

- If the current BFS is **degenerate**, then the step size might be limited to zero (why?).
 - This means that the next feasible solution is the same as the last.
 - We can still form a new basis, however, as before.
- Even if the step-size is positive, we might end up with one or more basic variables at level zero.
 - In this case, we have to decide arbitrarily which variable to remove from the basis.
 - The new solution will be degenerate.
- Degeneracy can cause **cycling**, a condition in which the same feasible solution is reached more than once.
- If the algorithm doesn't terminate, then it must cycle.

Anticycling and Bland's Rule

- Bland's pivoting rule:
 - The entering variable is the one with the **smallest subscript** among those whose reduced costs are negative.
 - The leaving variable is the one with the **smallest subscript** among those that are eligible to leave the basis.
- Bland's rule guarantees that **cycling cannot occur**.
- We also don't need to compute all the reduced costs.

Implementing the Simplex Method

“Naive” Implementation

1. Start with a basic feasible solution \hat{x} with indices $B(1), \dots, B(m)$ corresponding to the current basic variables.
2. Form the basis matrix B and compute $p^T = c_B^T B^{-1}$ by solving $p^T B = c_B^T$.
3. Compute the reduced costs by the formula $\bar{c}_j = c_j - p^T A_j$. If $\bar{c} \geq 0$, then \hat{x} is **optimal**.
4. Select the **entering variable** j and obtain $u = B^{-1} A_j$ by solving the system $Bu = A_j$. If $u \leq 0$, the LP is **unbounded**.
5. Determine the step size $\theta^* = \min_{\{i|u_i>0\}} \frac{\hat{x}_{B(i)}}{u_i}$.
6. Determine the new solution and the **leaving variable** i .
7. Replace i with j in the list of basic variables.
8. Go to Step 1.

Calculating the Basis Inverse

- Note that most of the effort in each iteration of the Simplex algorithm is spent solving the systems

$$\begin{aligned} p^T B &= c_B^T \\ Bu &= A_j \end{aligned}$$

- If we knew B^{-1} , we could solve both of these systems.
- Calculating B^{-1} quickly and accurately is the biggest challenge of implementing the simplex algorithm.
- The full details of how to do this are beyond the scope of this course.
- We will take a cursory look at these issues in the rest of the chapter.

Efficiency of the Simplex Method

- To judge efficiency, we calculate the number of arithmetic operations it takes to perform the algorithm.
- To solve a system of m equations and m unknowns, it takes *on the order of m^3* operations, denoted $O(m^3)$.
- To take the inner product of two n -dimensional vectors takes $O(n)$ operations (n multiplications and n additions).
- Hence, each iteration of the naive implementation of the Simplex method takes $O(m^3 + mn)$ iterations.
- We'll try to improve up on this.

Improving the Efficiency of Simplex

- Again, the matrix B^{-1} plays a central role in the simplex method.
- If we had B^{-1} available at the beginning of each iteration, we could easily compute everything we need.
- Recall that B changes in only one column during each iteration.
- How does B^{-1} change?
- It may change a lot, but we can update it instead of recomputing it.

Way Back in Linear Algebra

- Recall from linear algebra how to invert a matrix by hand.
- We use *elementary row operations*.
- An elementary row operation is adding a multiple of a row to the same or another row.
- To invert a matrix, we use elementary row operation to change the matrix into the identity.
- We then apply the same operations to the identity to change it into the matrix inverse.
- We can use the same trick to update B^{-1} .

Updating the Basis Inverse

- We have $B^{-1}B = I$, so that $B^{-1}A_{B(i)}$ is the i th unit vector e_i .
- If B is the old basis and \bar{B} is the new one, then

$$B^{-1}\bar{B} = [e_1 \cdots e_{l-1} \ u \ e_{l+1} \ \cdots \ e_m]$$

$$= \begin{bmatrix} 1 & & & u_1 & & & \\ & \ddots & & \vdots & & & \\ & & & u_l & & & \\ & & & \vdots & \ddots & & \\ & & & u_m & & \ddots & 1 \end{bmatrix}$$

- We want to turn this matrix into I using **elementary row operations**.
- If we apply these same row operations to B^{-1} , we will turn it into \bar{B}^{-1} .

Representing Elementary Row Operations

- Performing an elementary row operation is the same as left-multiplying by a specially constructed matrix.
- To multiply the j th row by β and add it to the i th row, take I and change the (i, j) th entry to β .
- A sequence of row operations can similarly be represented as a matrix.
- Hence, we can change B^{-1} into \bar{B}^{-1} by left-multiplying by a matrix Q which looks like

$$Q = \begin{bmatrix} 1 & & -\frac{u_1}{u_l} & & \\ & \dots & \vdots & & \\ & & \frac{1}{u_l} & & \\ & & \vdots & \dots & \\ & & -\frac{u_m}{u_l} & & 1 \end{bmatrix}$$

The Revised Simplex Method

A typical iteration of the revised simplex method:

1. Start with a specified BFS \hat{x} and the associated basis inverse B^{-1} .
2. Compute $p^T = c_B^T B^{-1}$ and the reduced costs $\bar{c}_j = c_j - p^T A_j$.
3. If $\bar{c} \geq 0$, then the current solution is **optimal**.
4. Select the **entering variable** j and compute $u = B^{-1} A_j$.
5. If $u \leq 0$, then the LP is **unbounded**.
6. Determine the step size $\theta^* = \min_{\{i|u_i>0\}} \frac{\hat{x}_{B(i)}}{u_i}$.
7. Determine the new solution and the **leaving variable** i .
8. Update B^{-1} .
9. Go to Step 1.

The Tableau Method

- This is the standard method for solving LPs by hand.
- We update the matrix $B^{-1}[b|A]$ instead of just B^{-1} .
- In addition, we also keep track of the reduced costs in row “zero”.
- This method is more expensive than revised simplex and is just for illustration.
- The method of updating the matrix is the same as in revised simplex.

What the Tableau Looks Like

- The tableau looks like this

$-c_B^T B^{-1}b$	$c^T - c_B^T B^{-1}A$
$B^{-1}b$	$B^{-1}A$

- In more detail, this is

$-c_B^T x_B$	\bar{c}_1	\dots	\bar{c}_n
$x_{B(1)}$	$B^{-1}A_1$	\dots	$B^{-1}A_n$
\vdots			
$x_{B(m)}$			

Implementing the Tableau Method

1. Start with the tableau associated with a specified BFS and associated basis B .
2. Examine the reduced costs in row zero and select a *pivot column* with $\bar{c}_j < 0$ if there is one. Otherwise, the current BFS is *optimal*.
3. Consider $u = B^{-1}A_j$, the j th column of the tableau. If no component of u is positive, then the LP is *unbounded*.
4. Otherwise, compute the step size using the minimum ratio rule and determine the *pivot row*.
5. Scale the pivot row so that the *pivot element* becomes one.
6. Add a constant multiple of the pivot row to each other row of the tableau so that all other elements of the pivot column become zero.
7. Go to Step 2.